

Vascular Quality Initiative - Hemodialysis Access

Last Name First Name Middle Initial

Date of Birth Medical Record Number Social Security Number

General Information

Patient Data:

Zip/Postal Code Gender Male Female
 Ethnicity Not Hispanic or Latino Hispanic or Latino Race White Black or African American
 Height inches or cm Asian More than 1 race
 Weight lbs or kg American Indian or Alaskan Native
 Native Hawaiian or other Pacific Islander
 Unknown/other

Admission Data:

Visit code (not required)
 Admit Date Discharge Date
 Surgeon Surgery Date
 Late Follow-Up Contact
 Discharge Status Home Rehab Unit Nursing Home Dead
 Other Hospital Skilled Nursing Facility
 Was the Procedure Billed to Medicare Part B? No Yes
 If dead, date of death
 Transferred from? No Hospital Rehab Unit

Demographics

Smoking Never Prior (>1 yr) Current (within 1 yr) Hypertension No Yes (>=140/90 or history)
 Diabetes None Diet Oral Meds Insulin
 CAD None hx MI but no sx CABG/PTCA None <5yr >=5yrs ago
 Symptoms Stable Angina Unstable Angina or MI < 6 mos
 CHF None Asymp, hx CHF Mild Severe COPD No Not Treated On Meds On Home Oxygen
 Dialysis No Functioning Transplant On Dialysis Creatinine mg/dl OR umol/L
 Pre-adm Living Home Nursing Home CKD Stage 4 or 5 No Yes
 ASA Class 1=Normal/healthy 2=w/Mild Systemic dx 3=w/Severe Systemic dx 4=w/Severe Systemic dx That's Constant Threat to Life 5=Moribund/not Expected to Survive w/o Op
 Pre-op Hemoglobin g/dl OR g/L

Vascular Quality Initiative - Hemodialysis Access Early Follow-Up (0 to 6 months)

Last Name First Name Middle Initial

Date of Birth Medical Record Number Social Security Number

Visit code (not required) Zip/Postal Code
 Surgeon Procedure:
 Surgery Date Side:

General Information

Date of Contact Contact By Face to Face Phone No Follow-up Possible
 Current Smoking No Yes

Current Living Status Home Nursing Home Dead
 Date of Death

Current Medications

ASA No Yes Intolerant
 ADP Receptor Inhibitor No Yes Intolerant
 Plavix Other Intolerant
 Coumadin No Yes Intolerant

Hemodialysis Access Early Follow-Up (0 to 6 months)

Basilic Transposition No Yes
 If Yes, Date of Transposition:

Access Patent No Yes Patency Judged By Thrill/bruit Imaging
 Access Used For Dialysis Never Current Failed
 If Current or Failed, Date Started:
 If Failed, Date Failed:

Complications

Wound Infection No Antibiotic I&D Removal
 If I&D, or Removal, Date of Procedure:

Steal No Intervention Banding DRILL PAI RUDI Occlusion
 If Intervention, or Banding, or DRILL, or PAI, or RUDI, or Occlusion,
 Date of Procedure:

Swelling No Compression Intervention Surgery Occlusion
 If Intervention, or Surgery, or Occlusion, Date of Procedure:

Vascular Quality Initiative - Hemodialysis Access Late Follow-Up (12 months)

Last Name First Name Middle Initial

Date of Birth Medical Record Number Social Security Number

Visit code (not required) Zip/Postal Code
 Surgeon Procedure:
 Surgery Date Side:

General Information

Date of Contact Contact By Face to Face Phone No Follow-up Possible
 Current Smoking No Yes

Current Living Status Home Nursing Home Dead
 Date of Death

Current Medications

ASA No Yes Intolerant
 ADP Receptor Inhibitor No Intolerant
 Plavix Other
 Coumadin No Yes Intolerant

Late Follow-Up (12 months) – To Be Completed By Long-term Follow-Up Contact

Access Used For Dialysis Never Current Failed
 If Current or Failed, Date Started:
 If Failed, Date Failed:
 Access Revised By Interventional Technique No Yes
 If Yes, Number of Revision
 Date of First Revision
 Access Revised By Surgical Technique No Yes
 If Yes, Number of Revision
 Date of First Revision

Graft Type	Graft Diameter	Graft Configuration	
Atrium Advanta VS	10 mm	Standard-Wall, Ringed	<input type="checkbox"/>
		Standard-Wall	<input type="checkbox"/>
		Thin-Wall	<input type="checkbox"/>
		Thin-Wall, Ringed	<input type="checkbox"/>
	3 mm	Thin-Wall	<input type="checkbox"/>
	3.5 mm	Thin-Wall	<input type="checkbox"/>
	4 mm	Standard-Wall, Ringed	<input type="checkbox"/>
		Standard-Wall	<input type="checkbox"/>
		Thin-Wall	<input type="checkbox"/>
		Thin-Wall, Ringed	<input type="checkbox"/>
	4 mm - 6 mm tapered	Standard-Wall, Long Taper	<input type="checkbox"/>
		Standard-Wall, Short Taper	<input type="checkbox"/>
		Standard-Wall, Short Taper, Center Ringed	<input type="checkbox"/>
		Standard-Wall, Stepped Taper	<input type="checkbox"/>
		Standard-Wall, Stepped Taper, Center ringed	<input type="checkbox"/>
		Standard-Wall, with Slider, Short taper	<input type="checkbox"/>
		Standard-Wall, with Slider, stepped taper	<input type="checkbox"/>
		Thin-Wall, Long Taper	<input type="checkbox"/>
	4 mm - 7 mm tapered	Standard-Wall, Long Taper	<input type="checkbox"/>
		Standard-Wall, Long Taper, Ringed	<input type="checkbox"/>
		Standard-Wall, Short Taper	<input type="checkbox"/>
		Standard-Wall, Short Taper, Center Ringed	<input type="checkbox"/>
		Standard-Wall, Stepped Taper	<input type="checkbox"/>
		Standard-Wall, Stepped Taper, Center ringed	<input type="checkbox"/>
		Standard-Wall, with Double Slider, Short taper	<input type="checkbox"/>
		Standard-Wall, with Slider, Short taper	<input type="checkbox"/>
		Standard-Wall, with Slider, Short taper, Center ringed	<input type="checkbox"/>
		Standard-Wall, with Slider, stepped taper	<input type="checkbox"/>
		Standard-Wall, with Slider, stepped taper, Center ringed	<input type="checkbox"/>
		Thin-Wall, Long Taper	<input type="checkbox"/>
	Thin-Wall, Long Taper, Ringed	<input type="checkbox"/>	
	5 mm	Standard-Wall, Center Ringed	<input type="checkbox"/>
		Standard-Wall	<input type="checkbox"/>
		Standard-Wall, Ringed	<input type="checkbox"/>
		Standard-Wall, with Slider, Ringed	<input type="checkbox"/>
		Thin-Wall	<input type="checkbox"/>
	Thin-Wall, Ringed	<input type="checkbox"/>	
	5 mm - 8 mm tapered	Standard-Wall, Long Taper	<input type="checkbox"/>
		Standard-Wall, Long Taper, Ringed	<input type="checkbox"/>
		Standard-Wall, Short Taper	<input type="checkbox"/>
		Standard-Wall, Stepped Taper	<input type="checkbox"/>
		Standard-Wall, Stepped Taper, Center ringed	<input type="checkbox"/>
		Standard-Wall, with Slider, Long taper	<input type="checkbox"/>
		Thin-Wall, Long Taper	<input type="checkbox"/>
	Thin-Wall, Long Taper, Ringed	<input type="checkbox"/>	
	6 mm	Standard-Wall, Center Ringed	<input type="checkbox"/>
		Standard-Wall	<input type="checkbox"/>
		Standard-Wall, Ringed	<input type="checkbox"/>
		Standard-Wall, with Double Slider	<input type="checkbox"/>
		Standard-Wall, with Double Slider, Center ringed	<input type="checkbox"/>
		Standard-Wall, with Slider	<input type="checkbox"/>
		Standard-Wall, with Slider, Center Ringed	<input type="checkbox"/>
Standard-Wall, with Slider, Ringed		<input type="checkbox"/>	
Thin-Wall		<input type="checkbox"/>	
Thin-Wall, Center Ringed	<input type="checkbox"/>		
Thin-Wall, Ringed	<input type="checkbox"/>		
6 mm - 8 mm tapered	Standard-Wall, Long Taper	<input type="checkbox"/>	
	Standard-Wall, Long Taper, Ringed	<input type="checkbox"/>	
	Standard-Wall, Short Taper	<input type="checkbox"/>	

	0 mm - 6 mm tapered	Standard-Wall, with Slider, Long taper	<input type="checkbox"/>	
		Thin-Wall, Long Taper	<input type="checkbox"/>	
		Thin-Wall, Long Taper, Ringed	<input type="checkbox"/>	
	7 mm	Standard-Wall, Ringed	<input type="checkbox"/>	
		Standard-Wall	<input type="checkbox"/>	
		Standard-Wall, with Slider	<input type="checkbox"/>	
		Standard-Wall, with Slider, Ringed	<input type="checkbox"/>	
		Thin-Wall	<input type="checkbox"/>	
		Thin-Wall, Ringed	<input type="checkbox"/>	
	8 mm	Standard-Wall, Center Ringed	<input type="checkbox"/>	
		Standard-Wall	<input type="checkbox"/>	
		Standard-Wall, Ringed	<input type="checkbox"/>	
		Standard-Wall, with Slider	<input type="checkbox"/>	
		Standard-Wall, with Slider, Ringed	<input type="checkbox"/>	
		Thin-Wall	<input type="checkbox"/>	
	Atrium Advanta VXT	10 mm	Standard-Wall, Ringed	<input type="checkbox"/>
			Standard-Wall	<input type="checkbox"/>
		4 mm	Standard-Wall, Ringed	<input type="checkbox"/>
Standard-Wall			<input type="checkbox"/>	
4 mm - 6 mm tapered		Standard-Wall, Short Taper	<input type="checkbox"/>	
		Standard-Wall, with Slider, Short taper	<input type="checkbox"/>	
		Standard-Wall, with Slider, Short taper, Center ringed	<input type="checkbox"/>	
4 mm - 7 mm tapered		Standard-Wall, Long Taper	<input type="checkbox"/>	
		Standard-Wall, Short Taper	<input type="checkbox"/>	
		Standard-Wall, Short Taper, Center Ringed	<input type="checkbox"/>	
		Standard-Wall, with Double Slider, Short taper	<input type="checkbox"/>	
		Standard-Wall, with Slider, Long taper	<input type="checkbox"/>	
		Standard-Wall, with Slider, Short taper	<input type="checkbox"/>	
		Standard-Wall, with Slider, Short taper, Center ringed	<input type="checkbox"/>	
		Thin-Wall, with Double Slider, extra long taper	<input type="checkbox"/>	
Thin-Wall, with Slider, extra long taper		<input type="checkbox"/>		
5 mm		Thin-Wall, with Slider, Long taper	<input type="checkbox"/>	
		Standard-Wall, Center Ringed	<input type="checkbox"/>	
	Standard-Wall	<input type="checkbox"/>		
5 mm - 8 mm tapered	Standard-Wall, Ringed	<input type="checkbox"/>		
	Standard-Wall, Long Taper	<input type="checkbox"/>		
	Standard-Wall, Short Taper	<input type="checkbox"/>		
	Standard-Wall, Short Taper, Center Ringed	<input type="checkbox"/>		
	Standard-Wall, with Slider, Short taper	<input type="checkbox"/>		
	Thin-Wall, with Slider, Long taper	<input type="checkbox"/>		
6 mm	Thin-Wall, with Slider, Long taper, Ringed	<input type="checkbox"/>		
	Standard-Wall, Center Ringed	<input type="checkbox"/>		
	Standard-Wall	<input type="checkbox"/>		
	Standard-Wall, Ringed	<input type="checkbox"/>		
	Standard-Wall, with Double Slider, Center ringed	<input type="checkbox"/>		
	Standard-Wall, with Slider	<input type="checkbox"/>		
	Standard-Wall, with Slider, Center Ringed	<input type="checkbox"/>		
	Standard-Wall, with Slider, Ringed	<input type="checkbox"/>		
	Thin-Wall	<input type="checkbox"/>		
	Thin-Wall, Center Ringed	<input type="checkbox"/>		
	Thin-Wall, Ringed	<input type="checkbox"/>		
	Thin-Wall, with Slider	<input type="checkbox"/>		
Thin-Wall, with Slider, Center Ringed	<input type="checkbox"/>			
Thin-Wall, with Slider, Ringed	<input type="checkbox"/>			
6 mm - 8 mm tapered	Thin-Wall, with Slider, Long taper	<input type="checkbox"/>		
7 mm	Standard-Wall, Ringed	<input type="checkbox"/>		
	Standard-Wall	<input type="checkbox"/>		
	Standard-Wall, with Slider	<input type="checkbox"/>		
	Standard-Wall, with Slider, Ringed	<input type="checkbox"/>		

		Thin-Wall	<input type="checkbox"/>		
		Thin-Wall, Ringed	<input type="checkbox"/>		
		Thin-Wall, with Slider	<input type="checkbox"/>		
		Thin-Wall, with Slider, Ringed	<input type="checkbox"/>		
	8 mm	Standard-Wall, Ringed	Standard-Wall	<input type="checkbox"/>	
			Standard-Wall, with Slider	<input type="checkbox"/>	
			Standard-Wall, with Slider, Ringed	<input type="checkbox"/>	
			Thin-Wall	<input type="checkbox"/>	
		Thin-Wall, Ringed	Thin-Wall, with Slider	<input type="checkbox"/>	
			Thin-Wall, with Slider, Ringed	<input type="checkbox"/>	
					<input type="checkbox"/>
					<input type="checkbox"/>
	Atrium-Flixene	6 mm	Standard-Wall, with Slider	<input type="checkbox"/>	
Graduated Wall			<input type="checkbox"/>		
Standard-Wall			<input type="checkbox"/>		
7 mm		Standard-Wall, with Slider	<input type="checkbox"/>		
		Graduated Wall	<input type="checkbox"/>		
		Standard-Wall	<input type="checkbox"/>		
8 mm		Graduated Wall	<input type="checkbox"/>		
		Standard-Wall	<input type="checkbox"/>		
Atrium-Flixene Graduated Wall		4 mm - 6 mm tapered	Graduated Wall, with Double Slider	<input type="checkbox"/>	
	Graduated Wall, with Double Slider, tapered graduated wall		<input type="checkbox"/>		
	Graduated Wall, with Slider		<input type="checkbox"/>		
	4 mm - 7 mm tapered	Graduated Wall, with Double Slider	<input type="checkbox"/>		
		Graduated Wall, with Double Slider, tapered graduated wall	<input type="checkbox"/>		
		Graduated Wall, with Slider	<input type="checkbox"/>		
	5 mm - 8 mm tapered	Graduated Wall, with Double Slider	<input type="checkbox"/>		
		Graduated Wall, with Double Slider, tapered graduated wall	<input type="checkbox"/>		
		Graduated Wall, with Slider	<input type="checkbox"/>		
Atrium-Flixene Trumpet	4 mm - 6 mm tapered	Graduated Wall, with Slider, tapered	<input type="checkbox"/>		
	4 mm - 7 mm tapered	Graduated Wall, with Slider, tapered	<input type="checkbox"/>		
	5 mm - 8 mm tapered	Graduated Wall, with Slider, tapered	<input type="checkbox"/>		
	6 mm	Graduated Wall, with Slider	<input type="checkbox"/>		
		Graduated Wall	<input type="checkbox"/>		
	7 mm	Graduated Wall, with Slider	<input type="checkbox"/>		
		Graduated Wall	<input type="checkbox"/>		
	8 mm	Graduated Wall, with Slider	<input type="checkbox"/>		
	Bard IMPRA Carboflo	4 mm	Standard-Wall, Straight	<input type="checkbox"/>	
4 mm - 6 mm tapered		Standard-Wall, Stepped	<input type="checkbox"/>		
4 mm - 7 mm tapered		Standard-Wall, Stepped	<input type="checkbox"/>		
		CenterFlex, Stepped	<input type="checkbox"/>		
5 mm		Standard-Wall, Straight	<input type="checkbox"/>		
5 mm - 8 mm tapered		Standard-Wall, Stepped	<input type="checkbox"/>		
		CenterFlex, Stepped	<input type="checkbox"/>		
6 mm		Standard-Wall, Straight	<input type="checkbox"/>		
		CenterFlex, Straight	<input type="checkbox"/>		
6 mm - 4 mm tapered		Standard-Wall, Short taper	<input type="checkbox"/>		
7 mm		Standard-Wall, Straight	<input type="checkbox"/>		
		CenterFlex, Straight	<input type="checkbox"/>		
7 mm - 4 mm tapered		Standard-Wall, Short taper	<input type="checkbox"/>		
	CenterFlex, Short taper	<input type="checkbox"/>			
8 mm	Standard-Wall, Straight	<input type="checkbox"/>			
	CenterFlex, Straight	<input type="checkbox"/>			
Bard Vectra	5 mm	N/A	<input type="checkbox"/>		
	6 mm	N/A	<input type="checkbox"/>		
	4 mm - 6 mm tapered	Standard-Wall, Stepped	<input type="checkbox"/>		
	4 mm - 7 mm tapered	Standard-Wall, Stepped	<input type="checkbox"/>		
		CenterFlex, Stepped	<input type="checkbox"/>		
5 mm - 8 mm tapered	Standard-Wall, Stepped	<input type="checkbox"/>			

Bard Venafllo II	6 mm	Standard-Wall, Straight CenterFlex, Straight	<input type="checkbox"/>	
	7 mm	Standard-Wall, Straight	<input type="checkbox"/>	
		CenterFlex, Straight	<input type="checkbox"/>	
8 mm	Standard-Wall, Straight	<input type="checkbox"/>		
	CenterFlex, Straight	<input type="checkbox"/>		
Gore Gore-Tex	4 mm - 6 mm tapered	Standard-Wall, Stretch Tapered	<input type="checkbox"/>	
		Standard-Wall, Tapered	<input type="checkbox"/>	
	4 mm - 7 mm tapered	Standard-Wall, Stretch Tapered	<input type="checkbox"/>	
		Standard-Wall, Tapered	<input type="checkbox"/>	
	6 mm	Standard-Wall	<input type="checkbox"/>	
		Standard-Wall, Fixed Ring	<input type="checkbox"/>	
		Standard-Wall, Stretch	<input type="checkbox"/>	
		Standard-Wall, Stretch Fixed Ring	<input type="checkbox"/>	
	7 mm	Thin-Wall, Stretch Removable Ring	<input type="checkbox"/>	
		Standard-Wall	<input type="checkbox"/>	
	8 mm	Standard-Wall, Stretch	<input type="checkbox"/>	
		Standard-Wall	<input type="checkbox"/>	
Gore Hybrid	6 mm	N/A	<input type="checkbox"/>	
	Standard-Wall, Stretch	<input type="checkbox"/>		
Gore INTERING	4 mm - 6 mm tapered	Standard-Wall, Stretch-Tapered	<input type="checkbox"/>	
	4 mm - 7 mm tapered	Standard-Wall, Stretch-Tapered	<input type="checkbox"/>	
	6 mm	Standard-Wall	<input type="checkbox"/>	
		Standard-Wall, Stretch	<input type="checkbox"/>	
	7 mm	Thin-Wall, Stretch	<input type="checkbox"/>	
		Thin-Wall, Stretch	<input type="checkbox"/>	
8 mm	Thin-Wall, Stretch	<input type="checkbox"/>		
Gore Propaten	4 mm - 6 mm tapered	Standard-Wall, Integrated rings-tapered	<input type="checkbox"/>	
		Standard-Wall, Stretch-Tapered	<input type="checkbox"/>	
	4 mm - 7 mm tapered	Standard-Wall, Integrated rings-tapered	<input type="checkbox"/>	
		Standard-Wall, Stretch-Tapered	<input type="checkbox"/>	
	5 mm	Standard-Wall, Stretch	<input type="checkbox"/>	
		Thin-Wall, Stretch Removable ring	<input type="checkbox"/>	
	6 mm	Standard-Wall, Fixed Ring	<input type="checkbox"/>	
		Standard-Wall, Stretch	<input type="checkbox"/>	
		Thin-Wall, Integrated rings	<input type="checkbox"/>	
		Thin-Wall, Stretch	<input type="checkbox"/>	
	7 mm	Thin-Wall, Stretch Removable ring	<input type="checkbox"/>	
		Standard-Wall, Integrated rings	<input type="checkbox"/>	
		Thin-Wall, Integrated rings	<input type="checkbox"/>	
	8 mm	Thin-Wall, Stretch	<input type="checkbox"/>	
		Thin-Wall, Stretch Removable ring	<input type="checkbox"/>	
		Standard-Wall, Stretch	<input type="checkbox"/>	
	Hemosphere HeRO	N/A	N/A	<input type="checkbox"/>
		Thin-Wall, Stretch Removable ring	<input type="checkbox"/>	
Maquet Exxcel Soft	10 mm	Thin-Wall, Straight	<input type="checkbox"/>	
		Thin-Wall, Straight, Externally Supported	<input type="checkbox"/>	
	4 mm	Standard-Wall, Straight	<input type="checkbox"/>	
		Standard-Wall, Short Taper	<input type="checkbox"/>	
	4 mm - 6 mm tapered	Standard-Wall, Step	<input type="checkbox"/>	
		Standard-Wall, Short Taper	<input type="checkbox"/>	
	4 mm - 7 mm tapered	Standard-Wall, Short Taper, Centrally Supported	<input type="checkbox"/>	
		Standard-Wall, Step	<input type="checkbox"/>	
		Standard-Wall, Step, Centrally Supported	<input type="checkbox"/>	
	5 mm	Standard-Wall, Straight	<input type="checkbox"/>	
		Thin-Wall, Straight	<input type="checkbox"/>	
		Thin-Wall, Straight, Externally Supported	<input type="checkbox"/>	

6 mm	Standard-Wall, Straight	<input type="checkbox"/>
	Standard-Wall, Straight, Centrally Supported	<input type="checkbox"/>
	Standard-Wall, Straight, Externally Supported	<input type="checkbox"/>
	Thin-Wall, Straight	<input type="checkbox"/>
7 mm	Thin-Wall, Straight, Externally Supported	<input type="checkbox"/>
	Standard-Wall, Straight	<input type="checkbox"/>
	Thin-Wall, Straight	<input type="checkbox"/>
8 mm	Thin-Wall, Straight, Externally Supported	<input type="checkbox"/>
	Standard-Wall, Straight	<input type="checkbox"/>
	Thin-Wall, Straight	<input type="checkbox"/>